FIREPLACES BURNING WOOD BURNING FIREPLACES NAPOLEON napoleonfireplaces.com

## Add an element of "home" to your house with a Napoleon **Wood Burning Fireplace.**

| High Country 3000 ECO                  | 4 - 5   |
|--|---------|
| High Country 5000                      | 6 - 7   |
| High Country 6000                      | 8 - 9   |
| High Country 7000                      | 10 - 11 |
| High Country 8000                      | 12 - 13 |
|  |         |
| Outstanding Features                   | 14      |
| Options, Features & Accessories        | 15      |
| Anatomy of the Perfect Fireplace       | 16      |
| Specs, Options, Features & Accessories | 17 - 19 |





The High Country 7000 shown with Smooth Decorative Brick Panels.



## FIND YOUR HAPPY (fire)PLACE.

Throughout the ages, people have gathered around fires to share in life's greatest joys.

There's just something about the glow of flickering flames that makes special moments feel even warmer.

A Napoleon fireplace is uniquely designed to brighten the vibe of any room in your house. Napoleon has an incredible range of designer options to fit any vision.

A fire not only raises the warmth and ambiance of a room, it can raise the value of your home. A fireplace offers some of the highest returns of any remodeling project. And that should make you feel good all over.

Every Napoleon fireplace is backed by the President's Limited Lifetime Warranty to ensure you can keep enjoying that positive glow for years and years to come.

## High Country 3000 Eco



### Wood Burning Elegance

Napoleon's High Country 3000 Eco wood burning fireplace is the smaller version of the powerful High Country 6000. The High Country 3000 Eco has a catalytic combustor, yes, just like your car. This fireplace has lower emissions and burns up to 25% longer than it's predecessors. Four stainless steel secondary air tubes supercharge the fuel burning process and generates a fascinating display of **YELLOW DANCING FLAMES**.

### NZ3000H

Glass Door Viewing Area: 17" h x 12 1/2" w

For more detailed specifications on this unit, see page 17



Napoleon Handle



Steel Andirons in Charcoal Finish



Optional Heat Resistant Gloves



Complete Arched Wrought Iron Double Doors, Faceplate, Grill & Keystone



Arched Faceplate & Modern Inset in Painted Black Finish with Painted Black Cast Iron Double Doors



Arched Faceplate & Heritage Inset in Painted Black Finish with Painted Black Cast Iron Double Doors







### Wood Burning Elegance

Napoleon's High Country 5000 Wood Burning Fireplace is perfect for adding the impact of a European-inspired, clean face design, with the traditional look and feel of an old-world fireplace. Built-in horizontal and vertical air flow directional ridges supercharge the air below and behind the wood creating extremely fast start-ups and direct the smoke up and to the back of the firebox for the ultimate clean burning experience. The counterbalanced, ZERO GRAVITY screen and door operate with ease, making lighting, and loading of this fireplace effortless. Bask in the glow of a wood fire that will add impact and luxury to your favorite space.

### NZ5000-T

Glass Door Viewing Area: 20 2/5"h x 30 5/9"w

For more detailed specifications on this unit, see page 18



Steel Andirons in Charcoal Finish



Heat Resistant Gloves (included)



Smooth and Traditional Decorative Brick Panels



Door Handle (included)



Shown with Glass Door Down and Smooth Decorative Brick Panels




Shown with Screen Door Down and Smooth Decorative Brick Panels



Shown with Glass Door Down and Traditional Decorative Brick Panels





The High Country 5000 shown with Smooth Decorative Brick Panels.

A Showcase For Your Home



The perfect blend of elegant, rustic styling and state-of-the-art wood burning technology makes this luxurious fireplace an ideal choice to add class and artistry to your home. The High Country 6000 stands out in the crowd and is well deserving of the Napoleon insignia. Treasured for its quality and performance, every Napoleon fireplace is hand crafted to last for generations.

### NZ6000-1

Glass Door Viewing Area: 16 3/8"h x 21 3/8"w

For more detailed specifications on this unit, see page 18



Complete Arched Wrought Iron Double Doors, Faceplate, Grill & Keystone



Shown Complete with Arched Black Cast Iron Double Doors, Arched Faceplate, Grill & Keystone in Painted Black Finish



Andirons Painted Black Finish



Optional Arched Screen Kit Painted Black Finish



Optional Country Crane & Hearth Pot



Optional Heat Resistant Gloves



### Natural Beauty on a Scale Never Seen Before



The Napoleon High Country 7000 wood burning fireplace is inspired by a European clean face design and features a huge viewing area. An exclusive counterbalanced ZERO GRAVITY door system operates the screen and heat radiating ceramic glass independently, allowing the fire to be viewed through either the glass, screen or both. The large firebox holds up to 50 lbs of wood and is lined with custom molded refractory brick panels.

### NZ7000

Glass Door Viewing Area: 19"h x 42"w

For more detailed specifications on this unit, see page 19



Steel Andirons in Charcoal Finish



Heat Resistant Gloves



Smooth Decorative Brick Panels



Fluted Decorative Brick Panels



Shown with Glass Door Down and Smooth Decorative Brick Panels



Shown with Screen Door Down and Smooth Decorative Brick Panels



Shown with Glass Door Down and Fluted Decorative Brick Panels



The High Country 7000 shown with Fluted Decorative Brick Panels.

### Warming Homes & Hearts



The Napoleon High Country 8000 is a large, clean face wood burning fireplace with an exceptionally wide viewing area. The exclusive counterbalanced ZERO GRAVITY door system operates the screen and heat radiating ceramic glass independently. This allows the fire to be viewed through either the glass, screen or both as they glide effortlessly up behind the wall. Boasting a large firebox that is lined with custom molded refractory brick, the High Country 8000 can hold up to 50 lbs of wood.

### NZ8000

Glass Door Viewing Area: 28 1/2"h x 42"w

For more detailed specifications on this unit, see page 19

Shown with Smooth Decorative Brick Panels



Shown with Traditional Decorative Brick Panels



Shown with Herringbone Decorative Brick Panels



Steel Andirons in Charcoal Finish



Heat Resistant Gloves



Smooth Decorative Brick Panels



Traditional Decorative Brick Panels



Herringbone Decorative Brick Panels







The High Country 8000 shown with Traditional Decorative Brick Panels.

## **Outstanding Features**

of Napoleon's Advanced Technology







## Help Protect The Environment With A Napoleon Wood Burning Fireplace

Heating your home with a Napoleon high efficiency fireplace, stove or insert releases no more carbon dioxide than a dying tree would lying on the forest floor. In fact, when the entire carbon cycle is considered, a Napoleon fireplace heats your home more efficiently and with less impact on the environment than any other heating fuel option.

### **Outstanding Craftsmanship**

Fine details are designed in every aspect of Napoleon fireplaces... individually handcrafted with pride of excellence.

### WHISPER QUIET Heat Circulating Blower System

The extreme heat resistant "H" class bearings featured in Napoleon's superior heat circulating blower, creates a lasting "whole home" comfort with adjustable high & low speeds. Available on the NZ3000H and NZ6000-1 only.

### ZERO GRAVITY Door System

The ZERO GRAVITY door system found on the 5000, 7000 and 8000 models, boast glass and screen doors that have precision 4 way roller systems that have been proven and tested to 60 years of operation. The door system also allows glass and screen doors to operate independently and glide up behind the wall.

## Features, Options & Accessories

### **Decorative Brick Options**



Smooth Decorative Brick Panels (NZ5000, NZ7000 and NZ8000 Models Only)



Traditional Decorative Brick Panels (NZ5000 and NZ8000 Models Only)



Herringbone Decorative Brick Panels (NZ8000 Model Only)



Fluted Decorative Brick Panels (NZ7000 Model Only)

### **Accessories**



Steel Andirons Charcoal Finish (Excluding NZ6000 Model)



Andirons Painted Black Finish (NZ6000 Model Only)



Heat Resistant Gloves



Decorative Handle



Country Crane & Hearth Pot (NZ6000 Model Only)



Arched Screen Kit Painted Black Finish (NZ6000 Model Only)

## High Country 3000 Eco

### Anatomy of the Perfect Fireplace

- 1. Primary combustion air is brought into the unit through the fresh air intake collar located on the bottom side of the unit.
- Catalytic combustor increases efficiency, decreases emissions and provides longer burn times.
- 3. Combustion takes place inside the firebox where smoke and gases are directed around a large baffle and through a catalyst (similar to the technology in a car) which burns off harmful gasses. As these gasses burn, the catalyst radiates more heat into the room providing maximum efficiency.
- 4. The optional hot air gravity central heating vent system may be used to distribute heat to an adjoining room (located either above or beside the room containing the fireplace).
- 5. The optional blower provides an ideal means of circulating warm air within the home. Where location permits and extreme cold temperatures are not experienced, this blower may also be installed to utilize fresh outside air to introduce "positive pressure" to the home. The powerful 320 CFM blower can be installed remotely from the unit (ie. basement) so you can enjoy increased air circulation with WHISPER QUIET operation.
- Radiant Heat.
- A single air control regulates the burn rate.
- High Heat Ceramic Glass for added durability.
- Primary air is directed down along the glass before being combusted to help keep the glass clean.
- 10. Fully insulated outershell to reduce clearances.
- 11. Pre-heated secondary combustion air is injected into the top of the fire box to help combust any un-burnt fuel gasses before they reach the catalyst. This provides both a dazzling blanket of fire and extracts the maximum amount of heat per fuel load.
- 12. Cast iron baffle and bypass door are durable and allow for easy start up and refueling.
- 13. Cool Room air circulates around the firebox and is pushed back into the room for additional heat.

Approved with chimneys

Any 7" diameter chimney listed to these standards may be installed. In accordance with these standards, the unit may also be connected to any chimney listed to CAN/ULC-S604 and CAN/ULC-S629 for Canada or UL-103HT for the United States.

### Minimum Clearance to combustibles

Minimum, fireplace 0" to stand offs (rear) 6" to sides Ceiling enclosure 84" from the base of the unit Ceiling (in front of fireplace) 84" from the base of the unit

Chimney 2" (follow manufacturer's instructions)

Hot air gravity duct work

Mantle to top of faceplate from 12" (with mantel protruding 2") to 18" (with mantel protruding 8")

Minimum hearth extension 20" x 54" non-combustible surface

### **Hot Air Venting Options**







Option - Two Ducts

10








Central Heating




Central Heating & Gravity Vent Option








## **High Country** 3000 Eco Shown on pages 4 & 5




| Model    | Firebox Size<br>(cu. ft.)               | Area Heated<br>(sq. ft.) | Emissions<br>(Grams Per | Log Size<br>(Max) | Chimney<br>Diameter | Outside Air for Combustion | EPA<br>Certified | Mobile Home<br>Approved                 | Central Heating and/or Blower | Door Opening |           | Door Opening Viewing Area |        | Viewing Area<br>(sq.inch) | Weight<br>of Bricks | Weight<br>without |
|----------|---|--------------------------|-------------------------|-------------------|---------------------|----------------------------|------------------|---|-------------------------------|--------------|-----------|---------------------------|--------|---------------------------|---------------------|-------------------|
|          | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | V-1 7                    | Hour)                   |                   |                     |                            |                  | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |                               | Width        | Height    | Width                     | Height |                           |                     | Bricks            |
| NZ3000H* | 2.3                                     | 2000 +                   | 3.25                    | 25"               | 7"                  | Yes                        | Yes              | No                                      | Optional                      | 40"          | 31 11/16" | 12 1/2"                   | 17"    | 1268                      | 103 lbs             | 448 lbs           |

<sup>\*</sup>Tested and listed by Intertek Testing Services Ltd. as per North American standards: CAN/ULC S610, UL 127 for factory built fireplaces and to US EPA's crib wood emissions standards for 2015 (EPA 40 CRF Part 60).

CERTIFIED TO COMPLY WITH 2015 PARTICULATE EMISSIONS STANDARDS. NOT APPROVED FOR SALE AFTER MAY 15, 2020.
\*\*Tested and listed by Intertek Testing Services Ltd. as per North American standards: CAN/ULC S610, UL 127 for factory built fireplaces.







| Model      | Firebox Size<br>(cu. ft.) | Area Heated (sq. ft.) | Emissions<br>(Grams Per | Log Size<br>(Max) | Chimney<br>Diameter | Outside Air for Combustion | EPA<br>Qualified | Mobile Home<br>Approved                 | Central Heating and/or Blower | Door Opening |         | por Opening Viewing Area |         | Viewing Area<br>(sq.inch) | Weight<br>of Bricks | Weight<br>without |
|------------|---------------------------|-----------------------|-------------------------|-------------------|---------------------|----------------------------|------------------|---|-------------------------------|--------------|---------|--------------------------|---------|---------------------------|---------------------|-------------------|
|            |                           |                       | Hour)                   | , , ,             |                     |                            |                  | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |                               | Width        | Height  | Width                    | Height  |                           |                     | Bricks            |
| NZ5000**   | 6.6                       | 1000                  | 4.6                     | 24"               | 8"                  | Yes                        | Yes              | No                                      | N/A                           | 36 5/8"      | 26 5/8" | 30 5/9"                  | 20 2/5" | 975                       | 193 lbs             | 552 lbs           |
| NZ6000-1** | 4.8                       | 3000 +                | N/A                     | 32"               | 8"                  | Yes                        | N/A              | No                                      | Optional                      | 48 1/2"      | 26 5/8" | 21 3/8"                  | 16 5/8" | 1292                      | 110 lbs             | 583 lbs           |

<sup>\*</sup>Tested and listed by Intertek Testing Services Ltd. as per North American standards: CAN/ULC S610, UL 127 for factory built fireplaces and to US EPA's crib wood emissions standards for 2015 (EPA 40 CRF Part 60). CERTIFIED TO COMPLY WITH 2015 PARTICULATE EMISSIONS STANDARDS. NOT APPROVED FOR SALE AFTER MAY 15, 2020.

## **High Country** 7000 Shown on pages 10 & 11



**High Country** 8000 Shown on pages 12 & 13



| Model    | Firebox Size<br>(cu. ft.) | Area Heated<br>(sq. ft.) | Emissions<br>(Grams Per | Ü     | Chimney<br>Diameter | Outside Air for Combustion |        |          | Central Heating<br>and/or Blower | Door Opening |         | Door Opening Viewing Area |         | Viewing Area<br>(sq.inch) | Weight<br>of Bricks | Weight<br>without Bricks |
|----------|---------------------------|--------------------------|-------------------------|-------|---------------------|----------------------------|--------|----------|----------------------------------|--------------|---------|---------------------------|---------|---------------------------|---------------------|--------------------------|
|          | (our rei)                 | (041 10.7)               | Hour)                   | (man) | J.a.motor           | 002400.0                   | quamou | 7.66.000 | a.i.a, o. 2.01101                | Width        | Height  | Width                     | Height  | (eqiiiisii)               | 01 2110110          | mendae Briono            |
| NZ7000*  | 9.65                      | 1000                     | 3.1                     | 32"   | 10"                 | Yes                        | N/A    | No       | No                               | 46 3/8"      | 21 1/8" | 42"                       | 19"     | 980                       | 300 lbs             | 1050 lbs                 |
| NZ8000** | 9.65                      | 1000                     | 2.2                     | 32"   | 10"                 | Yes                        | Yes    | No       | No                               | 46 3/8"      | 34 1/4" | 22"                       | 28 1/2" | 1589                      | 300 lbs             | 1150 lbs                 |

\*Tested and listed by Intertek Testing Services Ltd. as per North American standards: CAN/ULC S610, UL 127 for factory built fireplaces. \*\*Tested and listed by Intertek Testing Services Ltd. as per North American standards: ULC S610, UL 127 for factory built fireplaces. Certified to EPA low mass wood burning fireplace phase 2 Voluntary program emission levels.

# NAPOLEON - CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS









24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8 103 Miller Drive, Crittenden, Kentucky, USA 41030 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 1-866-820-8686 napoleon.com













**Authorized Dealer**